

**System: SG**

TUBE: 13.6 x 2.6 mm  
 Tube Pitch across: 10 mm  
 Tube Pitch in line: 19 mm

|              |        |                |
|--------------|--------|----------------|
|              |        | Max. Core Size |
| Fin Density: | 2.2 mm | 1000 x 1000    |
|              | 2.5 mm | 1000 x 1000    |
|              | 3.0 mm | 1670 x 1750    |

Fin Material: Copper

Header Plate thickness: 0.7 1.2 3.0 (thick header)

| No. Rows | <u>Core Widths</u> |  |
|----------|--------------------|--|
|          | Width (mm)         |  |
| 1        | 37                 |  |
| 2        | 57                 |  |
| 3        | 75                 |  |
| 4        | 95                 |  |
| 5        | 113                |  |
| 6        | 132                |  |
| 7        | 150                |  |

-----

**System: SH**

TUBE: 19 x 2.2 mm  
 Tube Pitch across : 9 mm  
 Tube Pitch in line: 25 mm

|              |        |                |
|--------------|--------|----------------|
|              |        | Max. Core Size |
| Fin Density: | 2.2 mm | 1000 x 1000    |
|              | 2.5 mm | 1000 x 1000    |
|              | 3.0 mm | 1500 x 1500    |

Fin Material : Copper

| No. Rows | <u>Core Widths</u> |  |
|----------|--------------------|--|
|          | Width (mm)         |  |
| 2        | 50                 |  |
| 3        | 75                 |  |
| 4        | 100                |  |
| 5        | 125                |  |
| 6        | 150                |  |

---

**System: AC (ACS = Steel inlay)**

TUBE: 13.2 x 2.6 mm  
 Tube Pitch across : 15.88 mm ANGLED  
 Tube Pitch in line: 18.5 mm ANGLED

|              |        | Max. Core Size |
|--------------|--------|----------------|
| Fin Density: | 2.2 mm | 1000 x 1000    |
|              | 2.5 mm | 1000 x 1000    |
|              | 3.0 mm | 1670 x 1750    |

Fin Material: Copper

Max. header Plate width: 300 mm  
 Thickness: 0.7 1.2 1.6 3.0(thick header)

| No. Rows | <u>Core Widths</u> |
|----------|--------------------|
|          | Width (mm)         |
| 2        | 36                 |
| 3        | 55                 |
| 4        | 74                 |
| 5        | 92                 |
| 6        | 111                |
| 7        | 129                |
| 8        | 148                |

---

**System: AT**

TUBE: 13.2 x 2.6 mm  
 Tube Pitch across : 15.88 mm ANGLED  
 Tube Pitch in line: 18.5 mm ANGLED

|              |        | Max. Core Size |
|--------------|--------|----------------|
| Fin Density: | 2.2 mm | 1000 x 1000    |
|              | 2.5 mm | 1000 x 1000    |
|              | 3.0 mm | 1670 x 1750    |

Fin Material : Steel

Max. header Plate width: 200 mm  
 Thickness: 1.2 1.6 3.0(thick header)

| No. Rows | <u>Core Widths</u> |
|----------|--------------------|
|          | Width (mm)         |
| 2        | 37                 |
| 3        | 57                 |
| 4        | 76                 |
| 5        | 95                 |
| 6        | 113                |
| 7        | 132                |
| 8        | 151                |

---

**System: SC (SCU = Un-louvred)**

TUBE: 13.2 x 2.6 mm  
 Tube Pitch across : 15.88 mm  
 Tube Pitch in line: 14 mm

|              |        | Max. Core Size |
|--------------|--------|----------------|
| Fin Density: | 2.2 mm | 1000 x 1000    |
|              | 2.5 mm | 1000 x 1000    |
|              | 3.0 mm | 1670 x 1750    |

Fin Material: Copper

Max. header Plate width: 300 mm  
 Thickness: 0.7 1.2 1.6 3.0(thick header)

| No. Rows | <u>Core Widths</u> | Width (mm) |
|----------|--------------------|------------|
| 3        |                    | 46         |
| 4        |                    | 60         |
| 5        |                    | 73         |
| 6        |                    | 87         |
| 7        |                    | 100        |
| 8        |                    | 114        |
| 9        |                    | 128        |
| 10       |                    | 141        |

---

**System: CN**

TUBE: 13.6 x 2.6 mm  
 Tube Pitch across : 11.5 mm  
 Tube Pitch in line: 16 mm

Fin Density: 37 - 64 FINS/DM  
 Fin Material : Copper

MAX. CORE SIZE : 1200 X 1200

|          | <u>Core Widths</u> |            |
|----------|--------------------|------------|
| No. Rows |                    | Width (mm) |
| 2        |                    | 32         |
| 3        |                    | 49         |
| 4        |                    | 66         |
| 5        |                    | 83         |

---

**System: CL**

TUBE: 13.6 x 2.6 mm  
 Tube Pitch across : 10 mm  
 Tube Pitch in line: 16 mm

Fin Density: 33 - 80 FINS/DM  
 Fin Material : Copper

MAX. CORE SIZE : 1200 X 1200

|          | <u>Core Widths</u> |            |
|----------|--------------------|------------|
| No. Rows |                    | Width (mm) |
| 1        |                    | 16         |
| 2        |                    | 32         |
| 3        |                    | 49         |
| 4        |                    | 66         |
| 5        |                    | 83         |
| 6        |                    | 100        |

---

**System: CHA**

TUBE: 19 x 2.2 mm  
 Tube Pitch across : 10.0 mm  
 Tube Pitch in line: 19 mm

Fin Density: 33 - 80 FINS/DM  
 Fin Material : Copper

MAX. CORE SIZE : 1200 X 1200

Max. header Plate width: 200 mm

| No. Rows | <u>Core Widths</u> | Width (mm) |
|----------|--------------------|------------|
| 1        | CL fin             | 19         |

**System: CHB**

TUBE: 19 x 2.2 mm  
 Tube Pitch across : 11.5 mm  
 Tube Pitch in line: 19 mm

Fin Density: 33 - 80 FINS/DM  
 Fin Material : Copper

MAX. CORE SIZE : 1200 X 1200

Max. header Plate width: 200 mm

| No. Rows | <u>Core Widths</u> | Width (mm) |
|----------|--------------------|------------|
| 2        | CN fin             | 42         |